

# ICE MAKER OVERVIEW

2025



**HOSHIZAKI**

When cool becomes brilliant

**NEW**

# CUBE SERIES

**3 YEAR  
WARRANTY**  
PARTS &  
LABOUR



AIR COOLED / WATER COOLED*	IM-21CPE / -	IM-30CPE / IM-30CWPE	IM-45CPE / -	IM-45PE / IM-45WPE
Production Capacity (kg/24 h)	25	34	47	47
Bin Capacity (kg)	11.5	11.5	15	18
Dimensions W x D x H (mm)	398 x 451 x 695	398 x 451 x 695	503 x 456 x 840	503 x 456 x 840
Electrical Consumption (kWh)	0.23	0.215	0.255	0.255
<b>Ice Cube Sizes</b>	<b>L</b> (28 x 28 x 32 mm)	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)



AIR COOLED / WATER COOLED*	IM-65PE / IM-65WPE	IM-100PE / -	IM-130CPE / -	IM-130PE / IM-130WPE
Production Capacity (kg/24 h)	58	105	108	116
Bin Capacity (kg)	26	38	50	50
Dimensions W x D x H (mm)	633 x 506 x 840	1004 x 600 x 800	704 x 506 x 1200	704 x 506 x 1210
Electrical Consumption (kWh)	0.29	0.5	0.57	0.565
<b>Ice Cube Sizes</b>	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>L</b> (28 x 28 x 32 mm)	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm) <b>XL - 32</b> (32 x 32 x 32 mm)	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm) <b>XL - 32</b> (32 x 32 x 32 mm)**



AIR COOLED / WATER COOLED	IM-130APE / -	IM-240APE / IM-240AWPE	IM-240PE / IM-240WPE	IM-240DPE / IM-240DWPE IM-240XPE / IM-240XWPE
Production Capacity (kg/24 h)	102	185	186	196
Bin Capacity (kg)	-	-	110	-
Dimensions W x D x H (mm)	560 x 700 x 880	560 x 700 x 880	704 x 665 x 1510	1084 x 700 x 500
Electrical Consumption (kWh)	0.58	0.85	0.87	0.845
<b>Ice Cube Sizes</b>	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm) <b>XL - 32</b> (32 x 32 x 32 mm)**	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm) <b>XL - 32</b> (32 x 32 x 32 mm)**

\* product images show air cooled models only

\*\* only available for air cooled model

**NEW**

# FLEXICUBE SERIES

**+ FLEXIBILITY**  
Internal Drain Pump

**3 YEAR  
WARRANTY**  
PARTS &  
LABOUR




AIR COOLED / WATER COOLED*	IM-45CPE-F / -	IM-45PE-F / IM-45WPE-F	IM-65PE-F / IM-65WPE-F	IM-130PE-F / IM-130WPE-F
Production Capacity (kg/24 h)	47	47	58	116
Bin Capacity (kg)	15	18	26	50
Dimensions W x D x H (mm)	633 x 511 x 690	503 x 456 x 840	633 x 506 x 840	704 x 506 x 1210
Electrical Consumption (kWh)	0.255	0.255	0.29	0.565
<b>Ice Cube Sizes</b>	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm) <b>XL - 32</b> (32 x 32 x 32 mm)**




AIR COOLED / WATER COOLED*	IM-240PE-F / IM-240WPE-F
Production Capacity (kg/24 h)	186
Bin Capacity (kg)	110
Dimensions W x D x H (mm)	704 x 665 x 1510
Electrical Consumption (kWh)	0.87
<b>Ice Cube Sizes</b>	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm)




## Cube Sizes




Cube Size: **S-25**  
Weight: 13 g



Cube Size: **M-23**  
Weight: 17 g



Cube Size: **L-STANDARD**  
Weight: 23 g



Cube Size: **XL-32**  
Weight: 31 g

**NEW**

# ULTRACUBE SERIES

**+ EXTRA HYGIENE**  
UV-Sanitization System

**3 YEAR**  
**WARRANTY**  
PARTS &  
LABOUR



AIR COOLED / WATER COOLED*	IM-30CPE-U / IM-30WPE-U	IM-45CPE-U / -	IM-45PE-U / IM-45WPE-U	IM-65PE-U / IM-65WPE-U
Production Capacity (kg/24 h)	34	47	47	58
Bin Capacity (kg)	11.5	15	18	26
Dimensions W x D x H (mm)	398 x 451 x 695	503 x 456 x 840	503 x 456 x 840	633 x 506 x 840
Electrical Consumption (kWh)	0.215	0.255	0.255	0.29
<b>Ice Cube Sizes</b>	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)



AIR COOLED / WATER COOLED*	IM-130CPE-U / -	IM-130PE-U / IM-130WPE-U	IM-130APE-U / -
Production Capacity (kg/24 h)	108	116	102
Bin Capacity (kg)	50	50	-
Dimensions W x D x H (mm)	704 x 506 x 1200	704 x 506 x 1210	560 x 700 x 880
Electrical Consumption (kWh)	0.57	0.565	0.58
<b>Ice Cube Sizes</b>	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm) <b>XL - 32</b> (32 x 32 x 32 mm)**	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm) <b>XL - 32</b> (32 x 32 x 32 mm)**	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm)



AIR COOLED / WATER COOLED*	IM-240APE-U / IM-240WPE-U	IM-240PE-U / IM-240WPE-U	IM-240DPE-U / IM-240DWPE-U / IM-240XPE-U / IM-240XWPE-U
Production Capacity (kg/24 h)	185	186	196
Bin Capacity (kg)	-	110	-
Dimensions W x D x H (mm)	560 x 700 x 880	704 x 665 x 1510	1084 x 700 x 500
Electrical Consumption (kWh)	0.85	0.87	0.845
<b>Ice Cube Sizes</b>	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm) <b>XL - 32</b> (32 x 32 x 32 mm)**	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm) <b>XL - 32</b> (32 x 32 x 32 mm)

\* product images show air cooled models only

\*\* only available for air cooled model

**NEW**

# ELITECUBE SERIES

- + **FLEXIBILITY**  
Internal Drain Pump
- + **EXTRA HYGIENE**  
UV-Sanitization System

**3 YEAR  
WARRANTY**  
PARTS &  
LABOUR



AIR COOLED / WATER COOLED*	IM-45CPE-E / -	IM-45PE-E / IM-45WPE-E	IM-65PE-E / IM-45WPE-E	IM-130PE-E / IM-130WPE-E
Production Capacity (kg/24 h)	47	47	58	116
Bin Capacity (kg)	15	18	26	50
Dimensions W x D x H (mm)	633 x 511 x 690	503 x 456 x 840	633 x 506 x 840	704 x 506 x 1210
Electrical Consumption (kWh)	0.255	0.255	0.29	0.565
<b>Ice Cube Sizes</b>	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>S - 25</b> (25 x 25 x 23 mm) <b>L</b> (28 x 28 x 32 mm)	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm) <b>XL - 32</b> (32 x 32 x 32 mm)**



AIR COOLED / WATER COOLED*	IM-240PE-E / IM-240WPE-E
Production Capacity (kg/24 h)	186
Bin Capacity (kg)	110
Dimensions W x D x H (mm)	704 x 665 x 1510
Electrical Consumption (kWh)	0.87
<b>Ice Cube Sizes</b>	<b>M - 23</b> (28 x 28 x 23 mm) <b>L</b> (28 x 28 x 32 mm)



VARIANT / FEATURES OVERVIEW	CUBE SERIES	FLEXICUBE SERIES	ULTRACUBE SERIES	ELITECUBE SERIES
NEW Control board (IoT ready)	✓	✓	✓	✓
Built-in DC Pump with variable speed	✓	✓	✓	✓
Built-in UV-Sanitization system			✓	✓
Internal Drain Pump		✓		✓
PE - Standard HC Model	✓	✓	✓	✓
CPE - Standard HC Undercounter model	✓	✓	✓	✓
WPE - Standard HC water cooled model	✓	✓	✓	✓

\* product images show air cooled models only

\*\* only available for air cooled model

# FM SERIES

**2 YEAR  
WARRANTY**  
PARTS &  
LABOUR



AIR COOLED / WATER COOLED	FM-60KE-HC / -	FM-80KE-HC / -	FM-120KE-HC / -	FM-120KE-HC-50 / -
Production Capacity (kg/24 h)	65	85	125	125
Bin Capacity (kg)	18	26	0.35	57
Dimensions W x D x H (mm)	498 x 570 x 697	640 x 600 x 711	640 x 600 x 711	940 x 600 x 798-833
Electrical Consumption (kWh)	0.27	0.27	0.35	0.36
Ice Type	Flake Ice	Flake Ice	Flake Ice	Flake Ice



AIR COOLED / WATER COOLED	FM-150AKE-HC-SB / -	FM-300AKE-HC-SB / -	FM-480AKE-HC-SB / FM-480AWKE-R452-SB	FM-600AKE-R452-SB / FM-600AWKE-R452-SB
Production Capacity (kg/24 h)	150	300	450 / 420	600 / 570
Bin Capacity (kg)	-	-	-	-
Dimensions W x D x H (mm)	560 x 700 x 780	560 x 700 x 780	560 x 700 x 780	560 x 700 x 780
Electrical Consumption (kWh)	0.41	0.9	1.1 / 1.39	1.9 / 1.71
Ice Type	Flake Ice	Flake Ice	Flake Ice	Flake Ice



AIR COOLED / WATER COOLED	FM-750AKE-R452-SB / -	FM-1000AKE-R452-SB / -	FM-1200ALKE-SB / -	FM-1800ALKE-SB / -
Production Capacity (kg/24 h)	750	1030	1200	1800
Bin Capacity (kg)	-	-	-	-
Dimensions W x D x H (mm)	762 x 700 x 780	762 x 700 x 780	762 x 700 x 780	1080 x 700 x 780
Electrical Consumption (kWh)	1.88	2.49	0.47	0.71
Ice Type	Flake Ice	Flake Ice	Flake Ice	Flake Ice



AIR COOLED / WATER COOLED	CM-50KE-HC	FM-80KE-HC-N / -	FM-120KE-HC-N / -	FM-120KE-HC-N-50 / -
Production Capacity (kg/24 h)	55	75	110	110
Bin Capacity (kg)	18	32	32	65
Dimensions W x D x H (mm)	498 x 570 x 697	640 x 600 x 711	640 x 600 x 711	940 x 600 x 798
Electrical Consumption (kWh)	0.27	0.35	0.35	0.36

Ice Type **Cubelet Ice** **Nugget Ice** **Nugget Ice**



AIR COOLED / WATER COOLED	FM-150AKE-HC-N-SB / -	FM-300AKE-HC-N-SB / -	FM-480AKE-HC-N-SB / FM-480AWKE-R452-SB	FM-600AKE-R452-N-SB / FM-600AWKE-R452-SB
Production Capacity (kg/24 h)	140	250	380	530
Bin Capacity (kg)	-	-	-	-
Dimensions W x D x H (mm)	560 x 700 x 780	560 x 700 x 780	560 x 700 x 780	560 x 700 x 780
Electrical Consumption (kWh)	0.96	0.96	1.17 / 1.45	1.95 / 1.76

Ice Type **Nugget Ice** **Nugget Ice** **Nugget Ice** **Nugget Ice**



AIR COOLED / WATER COOLED	FM-750AKE-R452-N-SB / -	FM-1000AKE-R452-N-SB / -	FM-1200ALKE-N-SB / -	FM-1800ALKE-N-SB / -
Production Capacity (kg/24 h)	590	860	1060	1590
Bin Capacity (kg)	-	-	-	-
Dimensions W x D x H (mm)	762 x 700 x 780	762 x 700 x 780	762 x 700 x 780	1080 x 700 x 780
Electrical Consumption (kWh)	2.01	2.55	0.52	0.77

Ice Type **Nugget Ice** **Nugget Ice** **Nugget Ice** **Nugget Ice**

# KM EDGE SERIES

**2 YEAR  
WARRANTY**  
PARTS &  
LABOUR



AIR COOLED	KM-40C-HC(-W)	KM-60C-HC(-W)	KM-80C-HC(-W)	KM-140C-HC(-W)
Production Capacity (kg/24 h)	43	60	75	138
Bin Capacity (kg)	16	23	34	55
Dimensions W x D x H (mm)	452 x 610 x 838	605 x 610 x 838	605 x 712 x 838	630 x 719 x 1194
Electrical Consumption (kWh)	0.22	0.26	0.31	0.56
Ice Type	Crescent EDGE	Crescent EDGE	Crescent EDGE	Crescent EDGE



AIR COOLED	KMD-210ABE-HC	KMD-270ABE-R452	KM-470AJE-R452	KM-590DJE-R452
Production Capacity (kg/24 h)	210	275	505	675
Bin Capacity (kg)	-	-	-	-
Dimensions W x D x H (mm)	560 x 625 x 610	560 x 625 x 610	762 x 695 x 825	1219 x 695 x 695
Electrical Consumption (kWh)	0.68	0.98	1.85	2.08
Ice Type	Crescent EDGE	Crescent EDGE	Crescent EDGE	Crescent EDGE





# ICE & ICE-WATER DISPENSER

**2 YEAR  
WARRANTY**  
PARTS &  
LABOUR




	DCM-60KE-P-HC	DCM-120KE-P-HC	DIM-40DE-HC	DSM-12DE
Production Capacity (kg/24 h)	60	120	43	13
Bin Capacity (kg)	~1.9	~4	~15	~3
Dimensions W x D x H (mm)	350 x 585 x 695	350 x 585 x 815	350 x 526 x 1590	180 x 527 x 695
Electrical Consumption (kWh)	0.28	0.4	0.2	0.2
Ice Type	Cubelet Ice	Cubelet Ice	Ice Cubes L (28 x 28 x 32 mm)	Shuttle Ice




	Ice Crusher, C-105	SANTOS N53
Crush Capacity (kg/min)	5	2.4
Storage Capacity (kg)	~5	~2
Dimensions W x D x H (mm)	370 x 310 x 510	236 x 353 x 474
Electrical Consumption (kWh)	0.0	-
Ice Type	Crushed ice	Crushed ice



## Dispenser Ice



Cube Size: **L**  
Weight: 23 g



Ice type: Shuttle  
Weight: 3 g

# STORAGE BINS

**2 YEAR  
WARRANTY**  
PARTS &  
LABOUR



	B-140SA	B-210SA	B-340SA
Bin Capacity (kg)	~115/140	~165/210	~275/340
Dimensions W x D x H (mm)	559 x 820 x 1016	762 x 820 x 1016	1219 x 820 x 1016
Weight (kg)	37	67	88

	F-600-42S	F-650-44S	F-950-48S	F-1025-52S
Bin Capacity (kg)	~258	~299	~431	~467
Dimensions W x D x H (mm)	1087 x 686 x 1019	1118 x 801 x 1016	1220 x 801 x 1270	1321 x 801 x 1270
Weight (kg)	70	80	105	112

## TOP KIT CONFIGURATION

Model		B-140SA	B-210SA	B-340SA
IM-130A		TK-30*	TK-30* + TK-8D	TK-30* + TK-8D + TK-18D
IM-240D		N/A	N/A	TK-IMD2
IM-240A		TK-30*	TK-30* + TK-8D	TK-30* + TK-8D + TK-18D
KMD-210		-	TK-8D	TK-8D + TK-18D
KMD-270				
KM-470		N/A	TK-30*	TK-30* + TK-18D
KM-590		N/A	N/A	TK-48*
FM-150		TK-30*	TK-30* + TK-8D	TK-30* + TK-8D + TK-18D
FM-300		TK-30*	TK-30* + TK-8D	TK-30* + TK-8D + TK-18D
FM-480		TK-30*	TK-30* + TK-8D	TK-30* + TK-8D + TK-18D
KM-470		N/A	TK-30	TK-30 + TK-18D
KM-590		N/A	N/A	TK-48
FM-600		TK-30*	TK-30* + TK-8D	TK-30* + TK-8D + TK-18D
FM-750		N/A	TK-30*	TK-48* + TK-18D
FM-1000		N/A	TK-30*	TK-48* + TK-18D
FM-1200		N/A	TK-30*	TK-48* + TK-18D
FM-1800		N/A	N/A	TK48* + TK-FM1800
IM-240A	2x	N/A	N/A	TK-4DM
IM-240D	2x	N/A	N/A	TK-48* + TK IMD2
KMD-210	2x	N/A	N/A	TK-4DM + TK-4DR
KMD-270				
FM-150	2x	N/A	N/A	TK-4DM
FM-170	2x	N/A	N/A	TK-4DM
FM-300	2x	N/A	N/A	TK-4DM
FM-480	2x	N/A	N/A	TK-4DM
FM-600	2x	N/A	N/A	TK-4DM

NOTICE:  
Different combinations of ice machines are possible on 1x B-340SA dispenser. Please contact your local dealer for more information."

# WATER FILTRATION

**1 YEAR  
WARRANTY**  
PARTS &  
LABOUR



	4HC-H Single	4HC-H Twin	4HC-H Triple
Dimension (mm)	204 x 193 x 467	422 x 216 x 485	527 x 216 x 485
IM CUBE Series	IM 21 - IM 130	IM-130, IM 240+	N/A
FM Series	FM 60 - FM 300	FM-300, FM 480 - FM 750	FM 1000+
KM Series	KM-40, 60, 80, 140	KMD210 - KMD270, KM470	-
Dispenser	DCM 60/DCM 120 DIM 40, DSM12	-	N/A



	EXTERNAL DRAIN PUMP
Dimension (mm)	287 x 146 x 129
Maximum pump distance	1,0 m vertically / 10 m horizontally
Typical installation	0, 5 m vertically / 5 m horizontally
Capacity	200 l / hour or 3.3 l / min at max distance





# HOSHIZAKI

When cool becomes brilliant

## Hoshizaki EXPORT

Burgemeester Stramanweg 101, 1101 AA Amsterdam, Netherlands  
T: +31 (0)20 6918499, [sales@hoshizaki.nl](mailto:sales@hoshizaki.nl), [www.hoshizaki-europe.com](http://www.hoshizaki-europe.com)